

પ્રતિ,

વિષય - મ.દે,સમાજસેવા સંકુલ, ગૂજરાત વિદ્યાપીઠ, અમદાવાદ તથા ગ્રામ વ્યવસ્થાપન કેન્દ્ર, રાંધેજા માટે નીચે જણાવેલ સ્પેસીફિકેશન મુજબ પ્રોજેક્ટર /પોડીયમ ખરીદવા માટે ભાવપત્રો મોકલી આપવા બાબત.

Sr.	Specification	Rate	Qnt	Total
01	<p>PROJECTOR SPECIFICATION Projection System : 0.55" SVGA Native Resolution : 800x600 DC Type : DC3 Brightness : 3600 Contrast Ratio With SuperEco Mode : 22000:1 Display Color : 1.07 Billion Colors Light Source : Lamp Light Source Life (Nor/SuperEco) : 5000/15000 Lamp Watt : 190W Lens : F=2.56-2.68, f=22-24.1 mm Projection Offset : 120% +/-5% Throw Ratio : 1.96-2.15 Image Size : 30" - 300" Throw Distance : 1.19m-13.11m(100" @3.98m) Keystone : +/- 40° (Vertical) Optical Zoom : 1.1x Audible Noise (Eco) : 27dB Response Time : 16ms Resolution Support : VGA(640 x 480) to FullHD(1920 x 1080) HDTV Compatibility : 480i, 480p, 576i, 576p, 720p, 1080i, 1080p Video Compatibility : NTSC, PAL, SECAM Horizontal Frequency : 15K~102KHz Vertical Scan Rate : 23~120Hz INPUT Computer In (share With Component) : 2 Composite : 1 Audio-in (3.5mm) : 1 HDMI (HDCP) : 2 (HDMI 1.4/ HDCP 1.4) OUTPUT Monitor Out : 1 Audio Out (3.5mm) : 1 Speaker : 2W USB Type A (Power) : 1 (5V/1.5A) CONTROL RS232 : 1 USB Type Mini B (Services) : 1 OTHERS Power Supply Voltage : 100-240V+/- 10%, 50/60Hz AC Power Consumption : Normal: 260W / Standby: <0.5W Operating Temperature : 0~40°C Carton : Brown Net Weight : 2.2kg Dimensions (WxDxH) With Adjustment Foot : 294x218x110mm Language : English, French, Spanish, Thai, Korean, German, Italian, Russian, Swedish, Dutch, Polish, Czech, T-Chinese, S-Chinese, Japanese, Turkish, Portuguese, Finnish, Indonesian, India, Arabic, Vietnamese STANDARD ACCESSORY Power Cord : 1 VGA Cable : 1 Remote Control : 1 QSG : 1 OPTIONAL ACCESSORY Lamp/Light Source : RLC-108 Carry Bag : PJ-CASE-008 WITH INSTALLATION</p>		06	
	VGA Cable (60 mtr. Approx)		60 mtr.	
	HDMI Cable (60 mtr. Approx)		60 mtr.	
	Wiring in casing pipe			

02	<p>PROJECTOR * Type: XGA * Chipset: LCD * Lamp Life: 10000 hr minimum * Resolution: 1024 x 768 Pixel * Aspect Ratio: 4:3 * Brightness 3600 lm minimum * 2 year warranty</p>		01	
03	<p>Type: SVGA * Chipset: LCD * Lamp Life: 10000 hr * Resolution: 800 x 600 Pixel * Aspect Ratio: 4:3 * Brightness 3000 lm maximum * 2 year warranty</p>		02	
04	<p><u>Specifications of laserjet Printer Copy With Scan</u></p> <p>General Printing Method Laser Type Multi-function Display 2 inch LCD Printing Output Monochrome Printer Languages Host-based Internal Memory 32 MB Functions Print, Scan, Copy Refill Type Toner Cartridge Print Max Print Resolution (Colour) 600 x 600 dpi Duty cycle (monthly, A4) 5000 pages Print Speed Mono 14 ppm Duplex Print Manual Other Print Features Print Technology: Monochrome Laser, Processor Speed: 230 MHz Paper Handling Media types supported Paper, Envelopes, Transparencies, Labels, Cards, Cardstock Output tray capacity 100 sheets Input tray type Standard Cassette Output tray type Face-Down Input tray capacity 150 pages Media size supported A4, A5, B5, C5, C6, DL Scan Scan area size 216 x 297 mm Optical scanning resolution 1200dpi Scan Type Flatbed</p> <p>Copier resize 25 % - 400 % Maximum Copies 99 cpm Copy -Copy speed Mono 14 cpm Operating Requirements Operating Temperature range 15DegC - 32.5DegC degree C 1Power consumption (standby) 7 W Operating Humidity range 20 % - 70 % RH % Power requirements 220 - 240 V, 50/60 Hz Power consumption (manual-off) 0 W Power consumption (active) 230 W Dimensions And Weight 39.424 cm Width 49.381 cm Weight 11.7 kg Depth 43.923 cm System Requirements - (2000, XP, Server 2003) - 35 MB Free Hard Disk Space , Mac OS X v10.3 - 50 MB Free Hard Disk Space Memory Windows (2000, XP, Server 2003) - 64 MB RAM, Mac OS X v10.3 - 128 MB RAM Processor Windows (2000, 7, XP) - Pentium II Processor, 233 MHz Processor, Mac OS X v10.3 - G3, G4, G5 Power PC Processor Other System Requirements SVGA 800 x 600 16-bit Color Monitor, CD-ROM, USB Operating System Windows: 2000, XP (Home), XP (Professional), Server 2003, Mac OS X v10.3</p> <p>Connectivity USB support USB 2.0 Compatible Inks/toners</p>		02	
07	<p><u>P.A Power Podium With Laptop Table</u></p> <ol style="list-style-type: none"> 1. Mp3 compatible USB/ sd card port with recording facility and FM Player. 2. Built in RMS 60W amplifier (4 ohms output) 3. Built in three 4" woofer and 2" tweeter. 		01	

<p>4. Two flexible gooseneck microphone & one reading lamp. 5. MIC2/LINE input and stereo music input 6. Line output and REC output. 7. Bass, treble aux, Mic1 and Mic2/Line volume control. 8. Extra output for amplifier. 9. Extra output for speaker (one 4 Ohms speaker/ two 8 Ohms speaker parallel connection). 10. AC power switch and light power switch. 11. AC 220V, 50Hz power operation. 12. Wooden top, steel body and bottom. 13. Black finish. Frequency Response 100HZ-16000 Hz Power Output 60 W (Max) Input Channels Mic 1:- 50db +- 2db 1.5/680 ohm, Line:- 20db +- 2db 1.5/50 ohm, Mic 2:- 55db +- 2db 1.5/600 ohm, AUX 1:- 20db +- 2db 1.5/10K ohm, AUX 2:- 15db +- 2db 1.5/30K ohm, AUX 3:- 10db +- 2db 1.5/50K ohm, AUX 4:- 3db +- 2db 1.5/80 K ohm, Tone Control Bass 10db / Treble 10db Output Tags For 1v / 0 db Power Requirement AC 230 V 50 Hz Frequency Range VHF 200-270 Mhz Paging range 15-30 metre</p>			
કુલ રકમ			

ઉપર જણાવેલ સાધનના ભાવ આ સાથેના પત્રકમાં વિગત ભરી તા. ૦૮/૦૨/૨૦૧૯ ના રોજ બપોરે ૪-૦૦ કલાક સુધીમાં બંધ કવર ઉપર પ્રોજેક્ટર /પોડીયમ ના ભાવપત્રક (કોટેશન) લખીને કુલસચિવશ્રી ગૂજરાત વિદ્યાપીઠ, અમદાવાદ- ૩૮૦૦૧૪ ના નામે મોકલી આપશો.

- (૧) ભાવપત્ર તારીખ - ૦૯-૦૨-૨૦૧૯ના રોજ શનિવારે ૧૧-૦૦ વાગ્યે ખોલવામાં આવશે. જેથી જે તે ભાવ ભરનાર વહેપારી તે સમયે હાજર રહી શકશે.
- (૨) જથ્થામાં વધારો અથવા ઘટાડો કરવાની તથા ઓર્ડર રદ કરવાની સત્તા ગૂજરાત વિદ્યાપીઠને આધીન રહેશે. તથા કોઈપણ ટેન્ડર સ્વીકારવું કે અસ્વીકાર કરવો કે અંશત સ્વીકારવું તે બાબતનો સંપૂર્ણ અબાધિત અધિકાર ગૂજરાત વિદ્યાપીઠનો રહેશે.
- (૩) ઉપરોક્ત ભાવ તમારા લેટર પેડ ઉપર આપવાના રહેશે.
- (૪) ભાવપત્રક સાથે સાધનનું બ્રોશર તથા તેને લગતું સાહિત્ય આપવું, તથા ટેન્ડર ભરનારની માહિતીનું પત્રક ભરીને જોડવાનું રહેશે.
- (૫) સાધનની વોરંટી તથા ગેરંટી જણાવવાની રહેશે.

બીડાણ - ટેન્ડર ભરનારની માહિતીનું પત્રક

(ડૉ. રાજેન્દ્ર ખીમાણી)
કુલસચિવ

GUJARAT VIDYAPITH
NR. INCOMETAX OFFICE, ASHRAM ROAD, AHMEDABAD - 380014
TECHNICAL BID

Details of the Tenderer

Name of the Tender																				

Firm type																				
------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(Like proprietorship / Partnership / Company / others)

Address

Contact No :

+Land line No.																				
Fax No.																				
Mobile No.																				
Email address																				

PAN No. _____ GST No. _____

- Please attach the copy of the GST No with the tender.

Client's List (Please attach separate sheet showing the client list of Universities / Govt. & semi Govt. offices name and addresses of the department where supply the prescribe the tender item with evidence (P.O / certificate of experience)

Sr. No.	Name of Uni/ Govt. & semi Govt office	Year of Supply	<u>Name of equipment</u>	<u>cost of equipment</u>

Signature of the tenderer/agency
Name of the tenderer/agency

Seal of the tenderer/agency

Place: